

01 Identification of substance

- **1.1 Product details:**
- **Trade name:**
WINEPRESS CLEANER PM
- **Article number:**
409000
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
See the following or attachments.
- **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the preparation**
Cleaning material/ Detergent
- **1.3 Supplier details:**
- **Manufacturer/Supplier:**
WIGOL W Stache GmbH
chemische Fabrik
Textorstraße 2
D-67547 Worms
Fax : +49-(0)6241-414141
Tel.: +49-(0)6241-4141-0
- **Informing department:**
Laboratory Department
TEL:+49(0)6241 4141 0; FAX:+49(0)6241 4141 41; mail: kontakt@wigol.de
- **1.4 Emergency information:**
TEL: +49 (0) 6131 19240
Poison Information Center Mainz, Germany
<http://www.giftinfo.uni-mainz.de/>

02 Hazard identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05

Met. Corr.1 - H290 May be corrosive to metals.
Skin Corr. 1A - H314 Causes severe skin burns and eye damage.



GHS09

Aquatic Acute 1 - H400 Very toxic to aquatic life.
Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
C corrosive
N Dangerous for the environment
R 31
Contact with acids liberates toxic gas.
R 35
Causes severe burns.
R 50
Very toxic to aquatic organisms.
- **Information concerning particular hazards for human and environment:**
See the following
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**

(continued on page 2)

PRODUCT : WINEPRESS CLEANER PM

(continued of page 1)



GHS05 GHS09

- **Signal word**
Danger

- **Hazard-determining components of labelling:**
Sodium Hydroxide / Sodium hypochlorite solution

- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.

- **Precautionary statements**
P234 Keep only in original container.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P401 Store in accordance with local/regional/national/international regulations.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

- **2.3 Additional information:**

- **Results of PBT and vPvB assessment**
According to Annex XIII, XIV of Regulation (EC) No.1907/2006 concerning REACH Not fulfilling PBT (persistent bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent/very bioaccumulative) criteria. Self classification

- **PBT:**
Not applicable.
- **vPvB:**
Not applicable.

03 Composition/Data on components

- **3.2 Chemical characterization**

- **Description:**
Solution of substances listed below with non declarable additions.

- **Dangerous components:**

CAS NO.	Description Index R-phrases	%
1310-73-2	Sodium Hydroxide EINECS Number: 215-185-5 Record number 01-2119457892-27 C 35 Met. Corr.1 - H290, Skin Corr. 1A - H314	>15,0-<30,0
7681-52-9	Sodium hypochlorite EINECS Number: 231-668-3 Record number 01-2119488154-34 C N Xi 31-34-37-50 Met. Corr.1 - H290, Skin Corr. 1B - H314; STOT SE 3 - H335; Aquatic	>5,0-<15,0

(continued on page 3)

PRODUCT : WINEPRESS CLEANER PM

(continued of page 2)

Acute 1 - H400, Aquatic Chronic 1 - H410

- Regulation (EC) No 648/2004 on detergents / Labelling for contents

chlorine-based bleaching agents**5 - 15%**

- Additional information

For the wording of the listed risk phrases refer to section 16.

04 First aid measures

- 4.1 Description of first aid measures

- General information

Instantly remove any clothing soiled by the product.
Personal protection for the First Aider.

- After inhalation

Supply fresh air or oxygen; call for doctor.
In the case of breathing difficulties have the casualty inhale oxygen.

- After skin contact

Instantly wash with water and soap and rinse thoroughly.

- After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.
Use eye protection.
Seek medical treatment.

- After swallowing

Rinse out mouth.
Drink copious amounts of water and provide fresh air. Instantly call for doctor.
Do not induce vomiting; instantly call for medical help.
During spontaneous vomiting hold the head of the casualty onto low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

- Information for doctor

Typical caustic burns. Symptoms of acute poisoning: The local damage proceeds very quickly, initially without any or little (inadequate!) sensation of pain. Eyes: in particular damage to the conjunctives, cornea, sclera (edema, ulceration/perforation, opacity of the cornea), more seldom even to the retina and choroidea; there is a danger of blindness! Skin: erythema -> erosion with swelling of the tissue showing soft, gelatinous surface (colliquative necrosis), -> deficient skin function (rule of nines!) Inhalation: tussive irritation, following massive inhalation possible dyspnoea, stridor, danger of laryngospasm/glottic edema, pulmonary edema, bronchopneumonia Ingestion: painful reddening/glassy swelling of the mucous membranes of the mouth/tongue (however, signs of corrosion can also be absent!); pain behind the sternum and in the epigastrium, dysphagia, under certain circumstances emesis (danger of aspiration); in serious cases rapid entry of collapse/shock (sometimes fatal); Information see: GESTIS-database on hazardous substances www.hvbg.de/bgja/gestis-database

- 4.2 The following symptoms may occur:

No further relevant information available.

- Danger

No further relevant information available.

- Treatment

No further relevant information available.

05 Fire fighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents

Not known.

- 5.2 Special hazards caused by the material, its products of combustion or flue gases:

Hydrogen chloride (HCl)
Chlorine (Cl₂)

(continued on page 4)

PRODUCT : WINEPRESS CLEANER PM*(continued of page 3)*

- **5.3 Advice for firefighters**
- **Protective equipment:**
Keep breathing equipment ready.
Wear protective equipment. Keep unprotected persons away.
- **Additional information**
None

06 Accidental release measures

- **6.1 Person-related safety precautions:**
Put on breathing apparatus.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Measures for environmental protection:**
Inform respective authorities in case product reaches water or sewage system.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **6.3 Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Dispose of the material collected according to regulations.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Additional information:**
Other regulations, limitations and prohibitive regulations see chapter 15

07 Handling and storage

- **Handling**
- **7.1 Information for safe handling:**
Do not seal containers gas-tight.
Keep away from heat and direct sunlight.
Prevent formation of aerosols.
Do not mix with acid products
- **Information about protection against explosions and fires:**
No special measures required.
- **Technically and precautionary measures**
Store in the original bundle.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Observe official regulations on storing packagings with dangerous goods
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
- **Further information about storage conditions:**
Protect from frost.
Protect from heat and direct sunlight.
- **Storage class**
8B
Storage classes according TRGS 510
Do not store together with acids
- **7.3 Specific end use(s)**
No further relevant information available.

D

(continued on page 5)

PRODUCT : WINEPRESS CLEANER PM

(continued of page 4)

08 Exposure controls and personal protection

- **Additional information about design of technical systems:**

No further data; see item 7.

- **8.1 Control parameters**

- **Components with critical values that require monitoring at the workplace:**

CAS No.	Designation of material		
7782-50-5	chlorine		
AGW			
	<i>Long-term value</i>	1,5	mg/m ³
		0,5	ppm
	1(I);DFG, EU, Y		
MAK			
	<i>Long-term value</i>	1,5	mg/m ³
		0,5	ppm

- **Additional information:**

The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Wash hands during breaks and at the end of the work.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Avoid contact with the eyes and skin.

Other regulations, limitations and prohibitive regulations see chapter 15

- **Breathing equipment: In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. Filter B Use breathing protection when aerosol or mist is formed (FFP2SL) Other regulations, limitations and prohibitive regulations see chapter 15**

- **Protection of hands: Alkaline resistant protection gloves - EN 374 (Butyl india rubber, Viton) Other regulations, limitations and prohibitive regulations see chapter 15 Preventive skin protection by use of skin-protecting agents is recommended.**

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection: Tightly sealed goggles (EN 166) Other regulations, limitations and prohibitive regulations see chapter 15**

- **Body protection: Protective work clothing EN 340 - Protective clothing, general requirements Chemical protective clothing - EN 463 following Other regulations, limitations and prohibitive regulations see chapter 15**

09 Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance****Appearance:**

Form:	Fluid
Colour:	Yellowish
Smell:	Chlorine-like
Odour threshold:	Not determined.
ph-value:	at 20 °C 12,4+-0,3 (10,000 g/l Wasser g/l water)

CHANGE IN CONDITION range/value unit method

(continued on page 6)

1623400

Printing date: 27.05.2015

Reviewed on: 27.05.2015

PRODUCT : WINEPRESS CLEANER PM

(continued of page 5)

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	> 100 °C
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
Self-inflammability	Not determined.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure:	Not determined.
Density	1,2650 - 1,3250 g/cm ³ 20°C
Solubility in / Miscibility with	
Water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0,00 %
9.2 Additional information	No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Contact with acids releases toxic gases.
- **10.4 Conditions to avoid**
No further relevant information available.
- **10.5 Materials to be avoided:**
No further relevant information available.
- **Dangerous reactions**
Reacts with base metals forming hydrogen.
Reacts with acids releasing chlorine.
- **10.6 Dangerous products of composition:**
Hydrogen chloride (HCl)
Chlorine in presence of acid products

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**
 - 1310-73-2 Sodium Hydroxide**
Oral, LD50: 2001 mg/kg (rat)
 - 7681-52-9 Sodium hypochlorite**
Oral, LD50: 1101 mg/kg (rat)
Dermal, LD50: 20001 mg/kg (Rabbit)
Inhalative, LC50 (1h): 10,6 mg/l (rat)
- **Primary irritant effect:**
- **on the skin:**
Strong caustic effect on skin and mucous membranes.
- **on the eye:**

(continued on page 7)

PRODUCT : WINEPRESS CLEANER PM

(continued of page 6)

- Strong caustic effect.
- **Sensitization:**
No sensitizing effect known.
- **Other information (about experimental toxicology):**
Note: If the toxicity data relate to the mixture, the calculation is made in accordance with Annex VI, Part 3 of Regulation (EC) 1272/2008. If toxicity data are listed for individual substances they do not refer to the proportions in the mixture, but only on the materials in their standard concentrations.
- **Additional toxicological information:**
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
 - 1310-73-2 Sodium Hydroxide**
Daphnia magna, EC50 (48h) : 101 mg/l
Leuciscus idus, LC50 (48h) : 133 mg/l
 - 7681-52-9 Sodium hypochlorite**
Oncorhynchus mykiss, LC50 (96h) : 0,06 mg/l
Daphnia magna, EC50 (48h) : 0,141 mg/l
alga, NOEC (7d) : 0,0021 mg/l
- **12.2 Information about elimination (persistence and degradability):**
No further relevant information available.
- **Behaviour in environmental systems:**
No further relevant information available.
- **12.4 Mobility in soil**
No further relevant information available.
- **Ecotoxicological effects:**
- **Behaviour in sewage processing plants:**
If appropriate diluted product reaches the sewage processing plant, there will be no disturbance of the biodegradable activities.
- **Additional ecological information:**
- **CSB-value:**
Not determined.
- **BSB5-value:**
Not determined
- **AOX-indication:**
Product contains no organic bounded halogen
Application of the product, in presence of organic materials, can cause formulation of AOX
- **General notes:**
Very toxic for aquatic organisms
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Before the waste is drained usually neutralization is necessary.
If product reaches untreated water systems, hazardous effects on fish and other water organism are possible.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:**
Not applicable.
- **vPvB:**
Not applicable.
- **12.6 Other adverse effects**
No further relevant information available.

D

(continued on page 8)

1623400



Printing date: 27.05.2015

Reviewed on: 27.05.2015

PRODUCT : WINEPRESS CLEANER PM*(continued of page 7)***13 Disposal considerations**

- **13.1 Product:**
- **Recommendation**
The allocation of the waste disposal key number is to be executed by the user according to the European waste disposal catalog (EAK) industry and product specific (origin-referred).
The waste keys are only referring to concentrated products.
- **European waste catalogue**
06
WASTES FROM INORGANIC CHEMICAL PROCESSES
06 02
wastes from the MFSU of bases
06 02 99
wastes not otherwise specified
- **Uncleaned packagings:**
- **Recommendation:**
Disposal must be made according to official regulations.
- **Recommended cleaning agent:**
Water, if necessary with cleaning agent.

14 Transport information

- **14.1 UN-Number**
ADR UN3266
IMDG UN3266
IATA UN3266
- **14.2 UN proper shipping name**
ADR 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)
IMDG CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)
IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)
- **14.3 Transport hazard class(es)**
ADR
Class 8 (C5) Corrosive substances.
Label

IMDG
Class 8 Corrosive substances.
Label

IATA
Class 8 Corrosive substances.

(continued on page 9)

1623400

Printing date: 27.05.2015

Reviewed on: 27.05.2015

PRODUCT : WINEPRESS CLEANER PM

(continued of page 8)

Label

- **14.4 Packing group**
ADR II
IMDG II
IATA II
- **14.5 Environmental hazards:**
Marine pollutant: Yes
- **14.6 Special precautions for user**
Warning: Corrosive substances.
Danger code (Kemler): 80
EMS Number: F-A,S-B
Segregation groups Alkalis
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
Not applicable.
- **Transport/Additional information:**
-
- Excepted quantities (EQ):** E2
Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E
- **UN "Model Regulation":**
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION), 8, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
Germany: Technical rules for dangerous materials (TRGS) in particular consider:
TRGS 500 Protection measures : minimum standards
TRGS 531 endangerment of the skin by work in the damp environment (damp work)
TRGS 201 Classification and marking from wastes to the removal while handling
Germany: Regard the principles of the professional organizations for preventive medical examinations (BGV A 4), in particular:
G 26 Respirators
G 24 Skin diseases (with exception of skin cancer)
Germany: Regard the principles of the professional organizations rules (BGR) in particular consider:
BGR 190: Use of respirators
BGR 197: Use of skin protection
- **Classification after plant security regulation (BetrsichV):**
-
- **Technical instructions (air):**
No further details
- **Water hazard class:**
In accordance with VwVwS appendix 4
Water hazard class 2 (E) : hazardous for water.Self-assessment
- **15.2 Chemical safety assessment:**
A Chemical Safety Assessment has not been carried out.

D

(continued on page 10)

PRODUCT : WINEPRESS CLEANER PM*(continued of page 9)***16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 31	Contact with acids liberates toxic gas.
R 35	Causes severe burns.
R 34	Causes burns.
R 37	Irritating to respiratory system.
R 50	Very toxic to aquatic organisms.

- **Training hints**

Consider annual instruction and training of the coworkers
Contents and time of the instruction are to be held in a written form and must be confirmed by the instructing people by signature. Consider storage time of the proof.

- **Recommended restriction of use**

No public product - only for commercial applications.

- **Department issuing data specification sheet:**

Laboratory department.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

- *** Data compared to the previous version altered.**

*