according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



01 Identification of substance

- · Product details:
- Trade name: **PASSIVATION S**
- Article number:

000349

- Relevant identified uses of the substance or mixture and uses advised against See the following or attachments.
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the preparation

Cleaning material/ Detergent

- · Supplier details:
- · Manufacturer/Supplier:

WIGOL W Stache GmbH chemische Fabrik Textorstraße 2

D-67547 Worms Tel.: ++49-(0)6241-4141-0

Fax: ++49-(0)6241-414141

• Informing department:

Laboratory Department

TEL:+49(0)6241 4141 0; FAX:+49(0)6241 4141 41; mail: kontakt@wigol.de

Emergency information:

TEL: +49 (0) 6131 19240

Poison Information Center Mainz, Germany

http://www.giftinfo.uni-mainz.de/

02 Hazard identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05

Met. Corr.1 - H290 May be corrosive to metals.

Skin Corr. 1B - H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C corrosive

R 34

Causes burns.

Information concerning particular hazards for human and environment:

Not applicable.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- Label elements
- Labelling according to Regulation (EC) No 1272/2008



GHS05

Signal word Danger

· Hazard-determining components of labelling:

Orthophosphoric acid / Nitric acid

Hazard statements

H290 May be corrosive to metals.

(continued on page 2)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



PRODUCT: **PASSIVATION S**

(continued of page 1)

>30.0

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

Additional information:

Results of PBT and vPvB assessment

According to Annex XIII, XIV of Regulation (EC) No.1907/2006 concerning REACH Not fulfilling PBT (persistent bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent/very bioaccummulative) criteria. Self classification

PBT:

Not applicable.

vPvB:

Not applicable.

03 Composition/Data on components

- · Chemical characterization
- Description:

Solution of substances listed below with non declarable additions.

· Dangerous components:

CAS NO. Description Index R-phrases 7664-38-2 Orthophosphoric acid

EINECS Number: 231-633-2

Record number 01-2119485924-24-0021

34

🔗 Met. Corr.1 - H290, Skin Corr. 1B -

H314

7697-37-2 Nitric acid >1,0-<5,0

CO

Met. Corr.1 - H290, Skin Corr. 1A -

EINECS Number: 231-714-2

H314; 🍄 Ox. Liq. 3 - H272

Additional information

For the wording of the listed risk phrases refer to section 16.

04 First aid mesures

· Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

After inhalation

Supply fresh air or oxygen; call for doctor.

In the case of breathing difficulties have the casualty inhale oxygen.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

(continued on page 3)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



PRODUCT: **PASSIVATION S**

(continued of page 2)

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

Use eye protection.

Seek medical treatment.

After swallowing

Rinse out mouth.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

Do not induce vomiting; instantly call for medical help.

During spontaneous vomiting hold the head of the casualtyned onto low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

Information for doctor

Typical corrosive acid burns. Symptoms of acute poisoning: Eyes: shooting pain, opacity of the cornea (possibly irreversible) Skin: irritations, chemical burns, possible shock Respiratory tract: tussive irritation, burning sensation to the mucous membranes

Information see: GESTIS-database on hazardous substances www.hvbg.de/bgia/gestis-database

05 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· For safety reasons unsuitable extinguishing agents

Not known.

· Special hazards caused by the material, its products of combustion or flue gases:

Nitrogen oxides (NOx)

Advice for firefighters

• Protective equipment:

Keep breathing equipment ready.

Wear protective equipment. Keep unprotected persons away.

Additional information

None

06 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

· Measures for environmental protection:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Additional information:

Other regulations, limitations and prohibitive regulations see chapter 15

07 Handling and storage

- Handling
- · Information for safe handling:

Do not mix with alkaline products

Information about protection against explosions and fires:

No special measures required.

Technically and precautionary measures

Store in the original bundle.

· Conditions for safe storage, including any incompatibilities

(continued on page 4)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



(continued of page 3)

PRODUCT: **PASSIVATION S**

Storage

Requirements to be met by storerooms and containers:

Observe official regulations on storing packagings with dangerous goods

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Storage class

8B

Storage classes according TRGS 510

Class according to regulation on inflammable liquids:

Specific end use(s)

No further relevant information available.

08 Exposure controls and personal protection

Additional information about design of technical systems:

No further data; see item 7.

Control parameters

· Components with critical values that require monitoring at the workplace:

CAS No. Designation of material 7664-38-2 Orthophosphoric acid

AGW

Long-term value 2 E mg/m3

2(I);DFG, EU, AGS, Y

MAK

Long-term value 2E mg/m3

Additional information:

The lists that were valid during the compilation were used as basis.

- · Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Wash hands during breaks and at the end of the work.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Avoid contact with the eyes and skin.

Other regulations, limitations and prohibitive regulations see chapter 15

- Breathing equipment: Use breathing protectiony when aerosol or mist is formed (FFP2SL) Other regulations, limitations and prohibitive regulations see chapter 15
- Protection of hands: Acid resistant protection gloves (Butyl india rubber, Viton) EN 374 Other regulations, limitations and prohibitive regulations see chapter 15 Preventive skin protection by use of skin-protecting agents is recommended.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed goggles (EN 166) Other regulations, limitations and prohibitive regulations see chapter 15
- Body protection: Protective work clothing EN 340 Protective clothing, general requirements Chemical protective clothing - EN 463 following Other regulations, limitations and prohibitive regulations see chapter

 \Box

Page: 5/9

CHEMICAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



PRODUCT: **PASSIVATION S**

(continued of page 4)

09 Physical and chemical properties

Information on basic physical and chemical properties	
Appearance	
Appearance:	
Form:	Fluid
Colour:	Colourless
Smell:	Odourless
Odour threshold:	Not determined.
CHANGE IN CONDITION range/value unit method	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	> 100 ℃
Flash point:	Not applicable
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	Not determined.
Self-inflammability	Not determined.
Danger of explosion:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Steam pressure:	Not determined.
Density	1,9800 - 1,2200 g/cm3 20℃
Solubility in / Miscibility with	
Water:	Not determined.
ph-value:	at 20 °C 2,0+-0,3 (10,000 g/l Wasser g/l water)
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0,00 %
Additional information	No further relevant information available.

10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions
 - No dangerous reactions known.
- Conditions to avoid
- No further relevant information available.
- Materials to be avoided:

No further relevant information available.

- · Dangerous reactions
- Reacts with base metals forming hydrogen.

 Dangerous products of composition: Nitrogen oxides (NOx)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



PRODUCT: **PASSIVATION S**

(continued of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Orthophosphoric acid

Oral, LD50: 1530 mg/kg (rat) Dermal, LD50: 2740 mg/kg (Rabbit) Inhalative, LC50 (1h): 1,69 mg/l (rat)

7697-37-2 Nitric acid

Oral, LD50: 1530 mg/kg (rat) Dermal, LD50: 2740 mg/kg (rat) Inhalative, LC50 (4h): 7 mg/l (rat) Oral, LDLo: 430 mg/kg (human being)

- · Primary irritant effect:
- on the skin:

Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.
- Sensitization:

No sensitizing effect known.

· Other information (about experimental toxicology):

Note: If the toxicity data relate to the mixture, the calculation is made in accordance with Annex VI, Part 3 of Regulation (EC) 1272/2008. If toxicity data are listed for individual substances they do not refer to the proportions in the mixture, but only on the materials in their standard concentrations.

Additional toxicological information:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- Toxicity
- · Acquatic toxicity:

7664-38-2 Orthophosphoric acid Gambusia affinis, LC50 (96h): 138 mg/l

Nitric acid 7697-37-2 Gambusia affinis, LC50 (96h): 72 mg/l Daphnia magna, EC50 (48h): 0,492 mg/l

· Information about elimination (persistence and degradability):

No further relevant information available.

- · Ecotoxical effects:
- Behaviour in sewage processing plants:

If appropriate diluted product reaches the sewage processing plant, there will be no disturbance of the biodegradable

- · Additional ecological information:
- CSB-value:

Not determined.

BSB5-value:

Not determined

AOX-indication:

Product contains no organic bounded halogen

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Before the waste is drained usually neutralization is necessary.

If product reaches untreated water systems, hazardous effects on fish and other water organism are possible.

· Results of PBT and vPvB assessment

(continued on page 7)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



(continued of page 6)

PRODUCT: **PASSIVATION S**

• PBT:

Not applicable.

vPvB:

Not applicable.

Other adverse effects

No further relevant information available.

13 Disposal considerations

- Product:
- Recommendation

The allocation of the waste disposal key number is to be executed by the user according to the European waste disposal catalog (EAK) industry and product specific (origin-referred).

The waste keys are only referring to concentrated products.

· European waste catalogue

WASTES FROM INORGANIC CHEMICAL PROCESSES

06 01

wastes from the manufacture, formulation, supply and use (MFSU) of

acids 06 01 99

wastes not otherwise specified

- · Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations.

Recommended cleaning agent:

Water, if necessary with cleaning agent.

14 Transport information

UN-Number

ADR UN1805 **IMDG** UN1805 IATA UN1805

• UN proper shipping name

1805 PHOSPHORIC ACID, SOLUTION **ADR IMDG** PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION IATA

· Transport hazard class(es)

ADR

Class 8 (C1) Corrosive substances.

Label



IMDG

Class 8 Corrosive substances.

Label



IATA

Class 8 Corrosive substances.

(continued on page 8)

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



(continued of page 7)

PASSIVATION S PRODUCT:

Label



· Packing group

ADR Ш IMDG Ш IATA Ш

· Environmental hazards:

Marine pollutant: Nο

Special precautions for user Warning: Corrosive substances.

Danger code (Kemler): 80 EMS Number: F-A.S-B Segregation groups Acids

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

• Transport/Additional information:

Not applicable

Excepted quantities (EQ): E1 Limited quantities (LQ) 51 Transport category 3 Tunnel restriction code

UN "Model Regulation":

UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

Germany: Technical rules for dangerous materials (TRGS) in particular consider:

TRGS 500 Protection measures : minimum standards

TRGS 531 endangerment of the skin by work in the damp environment (damp work)

TRGS 201 Classification and marking from wastes to the removal while handling

Germany: Regard the principles of the professional organizations for preventive medical examinations (BGV A 4), in

G 24 Skin diseases (with exception of skin cancer)

Germany: Regard the principles of the professional organizations rules (BGR) in particular consider:

BGR 197: Use of skin protection

· Classification according to VbF:

Classification after plant security regulation (BetrSichV):

· Technical instructions (air):

No further details

Water hazard class:

In accordance with VwVwS appendix 4

Water hazard class 1 (£): slightly hazardous for water. Self-assessment

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

D

Page: 9/9

CHEMICAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

1446900

Printing date: 16.11.2012 Reviewed on: 16.11.2012



PRODUCT: **PASSIVATION S**

(continued of page 8)

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

May intensify fire; oxidiser. H272 H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

R 8 Contact with combustible material may cause fire.

R 34 Causes burns. R 35 Causes severe burns.

Training hints

Consider annual instruction and training of the coworkers

Contents and time of the instruction are to be held in a written form and must be confirmed by the instructing people by signature. Cconsider storage time of the proof.

Recommended restriction of use

No public product - only for commercial applications.

· Department issuing data specification sheet:

Laboratory department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.