

1752700

Printing date: 06.12.2016

Reviewed on: 06.12.2016

**01 Identification of substance**• **1.1 Product details:****Trade name:**

CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION

• **Article number:**

000285

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

See the following or attachments.

• **Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• **Application of the substance / the preparation**

Cleaning material/ Detergent

• **1.3 Supplier details:**• **Manufacturer/Supplier:**

WIGOL W Stache GmbH

chemische Fabrik

Textorstraße 2

D-67547 Worms

Tel.: +49-(0)6241-4141-0

Fax : +49-(0)6241-414141

• **Informing department:**

Laboratory Department

TEL:+49(0)6241 4141 0; FAX:+49(0)6241 4141 41; mail: kontakt@wigol.de

• **1.4 Emergency information:**

TEL: +49 (0) 6131 19240

Poison Information Center Mainz, Germany

<http://www.giftinfo.uni-mainz.de/>**02 Hazard identification**• **2.1 Classification of the substance or mixture**• **Classification according to Regulation (EC) No 1272/2008**

GHS05

Met. Corr.1 - H290 May be corrosive to metals.  
Eye Dam. 1 - H318 Causes serious eye damage.

GHS08

STOT RE 2 - H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

• **2.2 Label elements**• **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.



GHS05 GHS08

• **Signal word**

Danger

• **Hazard-determining components of labelling:**

Tetrasodium Ethylenediaminetetraacetate

• **Hazard statements**

H290 May be corrosive to metals.

(continued on page 2)

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION**

(continued of page 1)

- H318 Causes serious eye damage.  
H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Precautionary statements**
    - P260 Do not breathe dust/fume/gas/mist/vapours/spray.
    - P280 Wear protective gloves/protective clothing/eye protection/face protection.
    - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
    - P310 Immediately call a POISON CENTER/doctor.
    - P406 Store in corrosive resistant container with a resistant inner liner.
    - P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.
  - **2.3 Additional information:**
  - **Results of PBT and vPvB assessment**  
According to Annex XIII, XIV of Regulation (EC) No.1907/2006 concerning REACH Not fulfilling PBT (persistent bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent/very bioaccumulative) criteria. Self classification
  - **PBT:**  
Not applicable.
  - **vPvB:**  
Not applicable.

**03 Composition/Data on components**

- **3.2 Chemical characterization**
- **Description:**  
Solution of substances listed below with non declarable additions.
- **Dangerous components:**

CAS Number		%
64-02-8	<b>Tetrasodium Ethylenediaminetetraacetate</b> <b>EC Number: 200-573-9</b> <b>Record number 01-2119486762-27</b> <b>Met. Corr. 1 - H290, Eye Dam. 1 - H318;</b> <b>Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT RE 2 - H373</b>	>30,0
- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**  
**EDTA and salts thereof** >= 30%

**04 First aid mesures**

- **4.1 Description of first aid measures**
- **General information**  
Instantly remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Personal protection for the First Aider.
- **After inhalation**  
Supply fresh air or oxygen; call for doctor.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult doctor.  
Use eye protection.
- **After swallowing**  
Rinse out mouth.  
Drink copious amounts of water and provide fresh air. Instantly call for doctor.  
Do not induce vomiting; instantly call for medical help.  
During spontaneous vomiting hold the head of the casualty onto low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

(continued on page 3)

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION***(continued of page 2)*

- **Information for doctor**  
Typical caustic burns. Symptoms of acute poisoning: The local damage proceeds very quickly, initially without any or little (inadequate!) sensation of pain. Eyes: in particular damage to the conjunctives, cornea, sclera (edema, ulceration/perforation, opacity of the cornea), more seldom even to the retina and choroidea; there is a danger of blindness! Skin: erythema -> erosion with swelling of the tissue showing soft, gelatinous surface (colliquative necrosis), -> deficient skin function (rule of nines!) Inhalation: tussive irritation, following massive inhalation ...  
Information see: GESTIS-database on hazardous substances [www.dguv.de/ifa/gestis/gestis-stoffdatenbank/](http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/)
- **4.2 The following symptoms may occur:**  
No further relevant information available.
- **Danger**  
No further relevant information available.
- **Treatment**  
No further relevant information available.

**05 Fire fighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents**  
Not known.
- **5.2 Special hazards caused by the material, its products of combustion or flue gases:**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Keep breathing equipment ready.  
Wear protective equipment. Keep unprotected persons away.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

**06 Accidental release measures**

- **6.1 Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Measures for environmental protection:**  
Dilute with much water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **6.3 Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Additional information:**  
Other regulations, limitations and prohibitive regulations see chapter 15

**07 Handling and storage**

- **Handling**
- **7.1 Information for safe handling:**  
Prevent formation of aerosols.  
Ensure good ventilation/exhaustion at the workplace.  
Do not mix with acid products
- **Information about protection against explosions and fires:**  
Keep breathing equipment ready.
- **Technically and precautionary measures**

*(continued on page 4)*

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION***(continued of page 3)*

Store in the original bundle.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Observe official regulations on storing packagings with dangerous goods
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.  
Protect from heat and direct sunlight.  
Protect from frost.
- **Storage class**  
8 B  
Storage classes according TRGS 510
- **7.3 Specific end use(s)**  
No further relevant information available.

**08 Exposure controls and personal protection**

- **Additional information about design of technical systems:**  
No further data; see item 7.
- **8.1 Control parameters**
- **workplace:**  
*Components with critical values that require monitoring at the*
- **Additional information:**  
The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and food.  
Wash hands during breaks and at the end of the work.  
Instantly remove any soiled and impregnated garments.  
Store protective clothing separately.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
Other regulations, limitations and prohibitive regulations see chapter 15
- **Breathing equipment: Use breathing protection when aerosol or mist is formed (FFP2SL) In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. Combination filter ABEK Other regulations, limitations and prohibitive regulations see chapter 15**
- **Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended. Alkaline resistant protection gloves - EN 374 (Butyl india rubber, Viton) Other regulations, limitations and prohibitive regulations see chapter 15**
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection: Safety glasses with side protection (EN 166) Other regulations, limitations and prohibitive regulations see chapter 15**
- **Body protection: Protective work clothing EN 340 - Protective clothing, general requirements Chemical protective clothing - EN 463 following Other regulations, limitations and prohibitive regulations see chapter 15**

D

*(continued on page 5)*

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION**

(continued of page 4)

**09 Physical and chemical properties****9.1 Information on basic physical and chemical properties****Appearance****Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Yellowish
<b>Smell:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>ph-value:</b>	at 20 °C 11,3+-0,3 ( 10,000 g/l water)

**CHANGE IN CONDITION range/value unit method****Melting point/Melting range:** Not determined**Boiling point/Boiling range:** > 100 °C**Flash point:** Not applicable**Inflammability (solid, gaseous)** Not applicable.**Ignition temperature:** Not applicable**Decomposition temperature:** Not determined.**Self-inflammability** Not determined.**Danger of explosion:** Product is not explosive.**Critical values for explosion:****Lower:** Not determined.**Upper:** Not determined.**Steam pressure:** Not determined.**Density** 1,2200 - 1,2800 g/cm<sup>3</sup> 20°C**Solubility in / Miscibility with****Water:** Not determined.**Viscosity:****dynamic:** Not determined.**kinematic:** Not determined.**Solvent content:****Organic solvents:** 0,00 %**9.2 Additional information** No further relevant information available.**10 Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
No dangerous reactions known.
- **10.4 Conditions to avoid**  
No further relevant information available.
- **10.5 Materials to be avoided:**  
No further relevant information available.
- **Dangerous reactions**  
No dangerous reactions known
- **10.6 Dangerous products of composition:**  
No dangerous decomposition products known

D

(continued on page 6)

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION**

(continued of page 5)

**11 Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
**64-02-8                      Tetrasodium Ethylenediaminetetraacetate**  
Oral, LD50: >2000 mg/kg (rat)  
Dermal, LD50: >2000 mg/kg (rat) (Extrapolierung)
- **Primary irritant effect:**
- **on the skin:**  
No irritant effect.
- **on the eye:**  
Strong irritant with the danger of severe eye injury.
- **Sensitization:**  
No sensitizing effect known.
- **Other information (about experimental toxicology):**  
Note: If the toxicity data relate to the mixture, the calculation is made in accordance with Annex VI, Part 3 of Regulation (EC) 1272/2008. If toxicity data are listed for individual substances they do not refer to the proportions in the mixture, but only on the materials in their standard concentrations.
- **Additional toxicological information:**  
Harmful  
Irritant

**12 Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:**  
**64-02-8                      Tetrasodium Ethylenediaminetetraacetate**  
Lepomis macrochirus, LC50 (96h): >100 mg/l  
Daphnia magna, EC50 (48h): >100 mg/l
- **12.2 Information about elimination (persistence and degradability):**  
No further relevant information available.
- **Behaviour in environmental systems:**  
No further relevant information available.
- **12.4 Mobility in soil**  
No further relevant information available.
- **Ecotoxicological effects:**
- **Behaviour in sewage processing plants:**  
If appropriate diluted product reaches the sewage processing plant, there will be no disturbance of the biodegradable activities.
- **Additional ecological information:**
- **CSB-value:**  
Not determined.
- **BSB5-value:**  
Not determined
- **AOX-indication:**  
Product contains no organic bounded halogen
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Before the waste is drained usually neutralization is necessary.  
If product reaches untreated water systems, hazardous effects on fish and other water organism are possible.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:**  
Not applicable.
- **vPvB:**  
Not applicable.

(continued on page 7)

1752700

Printing date: 06.12.2016

Reviewed on: 06.12.2016



**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION***(continued of page 6)*

- **12.6 Other adverse effects**  
No further relevant information available.

**13 Disposal considerations**

- **13.1 Product:**
- **Recommendation**  
The allocation of the waste disposal key number is to be executed by the user according to the European waste disposal catalog (EAK) industry and product specific (origin-referred).  
The waste keys are only referring to concentrated products.
- **European waste catalogue**  
07  
WASTES FROM ORGANIC CHEMICAL PROCESSES  
07 06  
wastes from the MFSU of fats, grease, soaps, detergents, disinfectants  
and cosmetics  
07 06 99  
wastes not otherwise specified
- **Uncleaned packagings:**
- **Recommendation:**  
Disposal must be made according to official regulations.
- **Recommended cleaning agent:**  
Water, if necessary with cleaning agent.

**14 Transport information**

- **14.1 UN-Number**  
**ADR** UN3267  
**IMDG** UN3267  
**IATA** UN3267
- **14.2 UN proper shipping name**  
**ADR** 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(TETRASODIUM ETHYLENEDIAMINETETRAACETATE)  
**IMDG** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(TETRASODIUM ETHYLENEDIAMINETETRAACETATE)  
**IATA** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(TETRASODIUM ETHYLENEDIAMINETETRAACETATE)
- **14.3 Transport hazard class(es)**  
**ADR**  
**Class** 8 (C7) Corrosive substances.  
**Label**  

- IMDG**  
**Class** 8 Corrosive substances.  
**Label**  

- IATA**  
**Class** 8 Corrosive substances.

*(continued on page 8)*

**PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION**

(continued of page 7)

**Label**

- **14.4 Packing group**  
**ADR** III  
**IMDG** III  
**IATA** III
- **14.5 Environmental hazards:**  
**Marine pollutant:** No
- **14.6 Special precautions for user**  
Warning: Corrosive substances.  
**Danger code (Kemler):** 80  
**EMS Number:** F-A,S-B  
**Segregation groups** Alkalis
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**  
Not applicable.
- **Transport/Additional information:**  
-
- Excepted quantities (EQ):** E1  
**Limited quantities (LQ)** 5L  
**Transport category** 3  
**Tunnel restriction code** E  
**IMDG**  
**Limited quantities (LQ)** 5L  
**Excepted quantities (EQ)** E1
- **UN "Model Regulation":**  
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TETRASODIUM ETHYLENEDIAMINETETRAACETATE), 8, III

**15 Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **REGULATION (EC) No 1907/2006 ANNEX XVII**  
Conditions of restriction: 3
- **National regulations**  
Germany: Technical rules for dangerous materials (TRGS) in particular consider:  
TRGS 500 Protection measures : minimum standards  
TRGS 531 endangerment of the skin by work in the damp environment (damp work)  
TRGS 201 Classification and marking from wastes to the removal while handling  
Germany: Regard the principles of the professional organizations rules (BGR) in particular consider:  
BGR 190: Use of respirators  
BGR 197: Use of skin protection
- **Classification after plant security regulation (BetrSichV):**  
-
- **Technical instructions (air):**  
No further details
- **Water hazard class:**  
In accordance with VwVwS appendix 4  
Water hazard class 2 (E) : hazardous for water.Self-assessment
- **Other regulations, limitations and prohibitive regulations**
- **x**  
"Arbeitsmedizinische Vorsorge" (DGUV-V6)
- **15.2 Chemical safety assessment:**

(continued on page 9)



1752700

Printing date: 06.12.2016

Reviewed on: 06.12.2016

<b>PRODUCT : CONCENTRATED INHIBITOR FOR MINERAL SALT FORMATION</b>
--

A Chemical Safety Assessment has not been carried out.
--

(continued of page 8)

## 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

- **Training hints**

Consider annual instruction and training of the coworkers  
Contents and time of the instruction are to be held in a written form and must be confirmed by the instructing people by signature. Consider storage time of the proof.

- **Recommended restriction of use**

No public product - only for commercial applications.

- **Department issuing data specification sheet:**

Laboratory department.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- **\* Data compared to the previous version altered.**

\*